
WEST				
Help Logout Interrupt				
Main Menu   Search Form   Posting Counts   Show S Numbers   Edit S Numbers   Preferences   Cases				
Search Results -  Terms Documents  L4 and (film or casing) 7				
US Patents Full-Text Database US Pre-Grant Publication Full-Text Database JPO Abstracts Database EPO Abstracts Database Derwent World Patents Index  Database: IBM Technical Disclosure Bulletins				
Search:  Recall Text Clear  Clear				
Search History				

DATE: Saturday, May 18, 2002 Printable Copy Create Case

Set Name side by side		Hit Count S	Set Name result set
DB=D	WPI; PLUR=YES; OP=ADJ		
<u>L5</u>	L4 and (film or casing)	7	<u>L5</u>
<u>L4</u>	L1 and (blow\$3 or extru\$4)	13	<u>L4</u>
<u>L3</u>	L2 and (blow\$3 or extru\$4)	0	<u>L3</u>
<u>L2</u>	L1 and segment	0	<u>L2</u>
<u>L1</u>	\$4urethane and starch and thermoplastic	60	<u>L1</u>

END OF SEARCH HISTORY



## Search History

DATE: Saturday, May 18, 2002 Printable Copy Create Case

Set Name side by side		Hit Count	Set Name result set	
DB=USPT; PLUR=YES; OP=ADJ				
<u>L6</u>	L5 and (casing or film)	20	<u>L6</u>	
<u>L5</u>	L4 and \$4urethane	20	<u>L5</u>	
<u>L4</u>	L3 and (thermoplastic)	33	<u>L4</u>	
<u>L3</u>	L2 and starch	42	<u>L3</u>	
<u>L2</u>	L1 and (draw\$3 and ratio)	804	<u>L2</u>	
<u>L1</u>	428/910	2039	<u>L1</u>	

**END OF SEARCH HISTORY** 


## Help Logout Interrupt Main Menu Search Form Posting Counts Show S Numbers Edit S Numbers Preferences Cases

## Search Results -

Terms	Documents
L9 not L8	0

		_
	US Patents Full-Text Database	1
	US Pre-Grant Publication Full-Text Database	
	JPO Abstracts Database	
	EPO Abstracts Database	
	Derwent World Patents Index	į
Database:	IBM Technical Disclosure Bulletins	₹
-	<u> </u>	

Search:



## Search History

DATE: Saturday, May 18, 2002 Printable Copy Create Case

**Hit Count Set Name** Set Name Query result set side by side DB=USPT; PLUR=YES; OP=ADJ 0 L10 <u>L10</u> L9 not L8 3 <u>L9</u> L9 L6 and starch 3 <u>L8</u> L7 and starch <u>L8</u> 7 <u>L7</u> L7 L6 and (blow\$3 or extru\$4) 10 <u>L6</u> L6 L5 and (film or casing) 14 L5 L4 and (hard near soft) <u>L5</u> 84 <u>L4</u> L4 L3 and segment 389 <u>L3</u> <u>L3</u> L2 and \$2polyester L1 and \$4urethane 620 <u>L2</u> L2 428/34.8 or 428/35.6 or 428/36.9 or 428/346 or 138/118.1 or 452/30 3096 L1 <u>L1</u> or 452/35